






FRONT ELEVATION  
SCALE 1/4"=1'0"



REAR ELEVATION  
SCALE 1/8"=1'0"



LEFT SIDE ELEVATION  
SCALE 1/8"=1'0"




RIGHT SIDE ELEVATION  
SCALE 1/8"=1'0"



ALL CONSTRUCTION TO BE IN ACCORDANCE WITH THE 2006 INTERNATIONAL RESIDENTIAL CODE BOOK (IRC) AND THE 2006 INTERNATIONAL BUILDING CODE (IBC). THE ARCHITECT ASSUMES NO LIABILITY FOR ANY DAMAGE TO OR LOSS OF ANY PROPERTY OR PERSONS ARISING FROM THE USE OF THESE PLANS. THE ARCHITECT'S RESPONSIBILITY IS LIMITED TO THE DESIGN OF THE BUILDING AS SHOWN ON THESE PLANS. THE ARCHITECT DOES NOT WARRANT THE ACCURACY OF ANY INFORMATION PROVIDED BY OTHERS. THE ARCHITECT'S LIABILITY IS LIMITED TO THE DESIGN OF THE BUILDING AS SHOWN ON THESE PLANS. THE ARCHITECT DOES NOT WARRANT THE ACCURACY OF ANY INFORMATION PROVIDED BY OTHERS.


ORIG	4-30-07	JP
REV		
REV		
REV		

PLAN 1801



STUDY SET

DESIGN NORTHWEST INC. • 14805-D NE 4TH PLAIN VANCOUVER WA 98662 PH: (360) 269-1786 WWW.DESIGNNW.NET



FLOOR PLAN AREA 1801 SF  
SCALE 1/4"=1'-0"

- 4X10 HDR MIN. 8'-0" CEILING
- 4X10 HDR MIN. 9'-0" CEILING
- SIMPSON 'EPD44T' POST BASE AND SIMPSON 'DC4' POST GAP OR EQU. FOR 4X4 POST CONNECTIONS
- SIMPSON 'CB66' POST BASE AND SIMPSON 'DC6' POST GAP OR EQU. FOR 6X6 POST CONNECTIONS

SMOKE DETECTORS SHALL BE INSTALLED IN EACH SLEEPING ROOM AND CENTRALLY LOCATED IN ADJACENT CORRIDOR. SMOKE DETECTORS SHALL BE INSTALLED ON EACH FLOOR LEVEL AND IN BASEMENTS. DETECTORS SHALL SOUND ALARM AUDIBLE IN ALL SLEEPING AREAS AND SHALL BE EQUIPPED WITH BATTERY BACK-UP.

ORIG	4-30-07	JP
REV		
REV		
REV		
PLAT	1801	
	2	